

TAMIL NADU AGRICULTURAL UNIVERSITY

Office of the Director
Directorate of Centre for Plant Protection Studies
TNAU, Coimbatore – 641 003
Date: 18.08.2016

No. TNAU/ CPPS/ AEN/ NADP /Gel Electrophoresis unit/ Purchase/Corrigendum/ 2016

Tender for purchase of gel electrophoresis unit – Pre bid meeting

Venue : Directorate of Centre for Plant Protection Studies
TNAU, Coimbatore – 641 003

Date and Time : 18.08.2016 at 11.00 AM

Scheme : GOI – NADP(RKVY) Scheme

Consequent upon the discussions held during the Pre-bid meeting the following points are considered for incorporation with suitable amendment

Corrigendum

Particulars	As per tender notice	Now amended
Design	All in one design allows the option of casting and running a gel in the buffer chamber, eliminating the need for additional equipment	Running a gel in the buffer chamber; gel casting should be done separately
Gel Size (L x W)	8 x 7cm	Three numbers of full set (Gel trays, buffer chamber with combs) Mini (8 x 7cm), Medium (15 x 13 cm) and maxi (20 x 20cm) size
Safety features	-	Signal for power flexuation

18.08.16
Professor and Head
Department of Agricultural Entomology
Dept. of Agrl. Entomology
CPPS, TNAU, CBE-3

18.08.16
Director
Centre for Plant Protection Studies
DIRECTOR
Centre for Plant Protection Studies
Tamil Nadu Agricultural University
COIMBATORE - 641 003